


**SAMPLE NAME: Ranch Water T11**

Infused, Hemp

**CULTIVATOR / MANUFACTURER**
**Business Name:**
**License Number:**
**Address:**
**DISTRIBUTOR / TESTED FOR**
**Business Name:** Bayou City Hemp Company

**License Number:**
**Address:**

**SAMPLE DETAIL**
**Batch Number:** B09Rw40514

**Sample ID:** 240603P045

**Date Collected:** 06/03/2024

**Date Received:** 06/03/2024

**Batch Size:** 1.0 units

**Sample Size:** 1.0 units

**Unit Mass:**
**Serving Size:** 355 milliliters per Serving


Scan QR code to verify authenticity of results.

**CANNABINOID ANALYSIS - SUMMARY**
**Total THC:** 0.0065 mg/mL

**Total CBD:** <LOQ

**Sum of Cannabinoids:** 0.0082 mg/mL

**Total Cannabinoids:** 0.0082 mg/mL

Total THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during the decarboxylation step:

$$\text{Total THC} = \Delta^9\text{-THC} + (\text{THCa} \cdot 0.877)$$

$$\text{Total CBD} = \text{CBD} + (\text{CBDa} \cdot 0.877)$$

$$\begin{aligned} \text{Sum of Cannabinoids} = & \Delta^9\text{-THC} + \text{THCa} + \text{CBD} + \text{CBDa} + \text{CBG} + \text{CBGa} + \\ & \text{THCV} + \text{THCVa} + \text{CBC} + \text{CBCa} + \text{CBDV} + \text{CBDVa} + \Delta^8\text{-THC} + \text{CBL} + \text{CBN} \\ \text{Total Cannabinoids} = & (\Delta^9\text{-THC} + 0.877 \cdot \text{THCa}) + (\text{CBD} + 0.877 \cdot \text{CBDa}) + \\ & (\text{CBG} + 0.877 \cdot \text{CBGa}) + (\text{THCV} + 0.877 \cdot \text{THCVa}) + (\text{CBC} + 0.877 \cdot \text{CBCa}) + \\ & (\text{CBDV} + 0.877 \cdot \text{CBDVa}) + \Delta^8\text{-THC} + \text{CBL} + \text{CBN} \end{aligned}$$
**Density:** 1.005 g/mL

**SAFETY ANALYSIS - SUMMARY**
**Pesticides:** ND

**Residual Solvents:** DETECTED

**Heavy Metals:** ND

**Microbiology (PCR):** ND

**Microbiology (Plating):** ND

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included on this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

*Kenrick Sueksdorf*  
LQC verified by: Kenrick Sueksdorf  
Job Title: Laboratory Assistant  
Date: 06/08/2024

*Josh Wurzer*  
Approved by: Josh Wurzer  
Job Title: Chief Compliance Officer  
Date: 06/08/2024

**References:** limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)




**CANNABINOID TEST RESULTS - 06/05/2024**

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

**Method:** QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

**TOTAL THC: 0.0065 mg/mL**

Total THC ( $\Delta^9$ -THC+0.877\*THCa)

**TOTAL CBD: <LOQ**

Total CBD (CBD+0.877\*CBDA)

**TOTAL CANNABINOIDS: 0.0082 mg/mL**

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) +  $\Delta^8$ -THC + CBL + CBN

**TOTAL CBG: ND**

Total CBG (CBG+0.877\*CBGa)

**TOTAL THCV: ND**

Total THCV (THCV+0.877\*THCVa)

**TOTAL CBC: ND**

Total CBC (CBC+0.877\*CBCa)

**TOTAL CBDV: ND**

Total CBDV (CBDV+0.877\*CBDVa)

COMPOUND	LOD/LOQ (mg/mL)	MEASUREMENT UNCERTAINTY (mg/mL)	RESULT (mg/mL)	RESULT (%)
$\Delta^9$ -THC	0.0001 / 0.0005	$\pm 0.00036$	0.0065	0.00065
$\Delta^8$ -THC	0.0003 / 0.0008	$\pm 0.00008$	0.0017	0.00017
CBD	0.0001 / 0.0004	N/A	<LOQ	<LOQ
THCa	0.0001 / 0.0002	N/A	ND	ND
THCV	0.0001 / 0.0005	N/A	ND	ND
THCVa	0.0001 / 0.0007	N/A	ND	ND
CBDA	0.0001 / 0.0010	N/A	ND	ND
CBDV	0.0001 / 0.0005	N/A	ND	ND
CBDVa	0.0001 / 0.0007	N/A	ND	ND
CBG	0.0001 / 0.0002	N/A	ND	ND
CBGa	0.0001 / 0.0003	N/A	ND	ND
CBL	0.0001 / 0.0004	N/A	ND	ND
CBN	0.0001 / 0.0003	N/A	ND	ND
CBC	0.0001 / 0.0004	N/A	ND	ND
CBCa	0.0001 / 0.0006	N/A	ND	ND
<b>SUM OF CANNABINOIDS</b>			<b>0.0082 mg/mL</b>	<b>0.00082%</b>

**Serving Size: 355 milliliters per Serving**

$\Delta^9$ -THC per Serving	2.3075 mg/serving
Total THC per Serving	2.3075 mg/serving
CBD per Serving	<LOQ
Total CBD per Serving	<LOQ
Sum of Cannabinoids per Serving	2.9110 mg/serving
Total Cannabinoids per Serving	2.9110 mg/serving

**DENSITY TEST RESULT**

<b>1.005 g/mL</b>
Tested 06/05/2024
<b>Method:</b> QSP 7870 - Sample Preparation



## Pesticide Analysis

### PESTICIDE TEST RESULTS - 06/06/2024 ND

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

\*GC-MS utilized where indicated.

**Method:** QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Abamectin	0.03 / 0.10	N/A	ND
Acephate	0.02 / 0.07	N/A	ND
Acequinocyl	0.02 / 0.07	N/A	ND
Acetamiprid	0.02 / 0.05	N/A	ND
Aldicarb	0.03 / 0.08	N/A	ND
Azoxystrobin	0.02 / 0.07	N/A	ND
Bifenazate	0.01 / 0.04	N/A	ND
Bifenthrin	0.02 / 0.05	N/A	ND
Boscalid	0.03 / 0.09	N/A	ND
Captan	0.19 / 0.57	N/A	ND
Carbaryl	0.02 / 0.06	N/A	ND
Carbofuran	0.02 / 0.05	N/A	ND
Chlorantraniliprole	0.04 / 0.12	N/A	ND
Chlordane*	0.03 / 0.08	N/A	ND
Chlorfenapyr*	0.03 / 0.10	N/A	ND
Chlorpyrifos	0.02 / 0.06	N/A	ND
Clofentezine	0.03 / 0.09	N/A	ND
Coumaphos	0.02 / 0.07	N/A	ND
Cyfluthrin	0.12 / 0.38	N/A	ND
Cypermethrin	0.11 / 0.32	N/A	ND
Daminozide	0.02 / 0.07	N/A	ND
Diazinon	0.02 / 0.05	N/A	ND
Dichlorvos (DDVP)	0.03 / 0.09	N/A	ND
Dimethoate	0.03 / 0.08	N/A	ND
Dimethomorph	0.03 / 0.09	N/A	ND
Ethoprophos	0.03 / 0.10	N/A	ND
Etofenprox	0.02 / 0.06	N/A	ND
Etoxazole	0.02 / 0.06	N/A	ND
Fenhexamid	0.03 / 0.09	N/A	ND
Fenoxycarb	0.03 / 0.08	N/A	ND
Fenpyroximate	0.02 / 0.06	N/A	ND
Fipronil	0.03 / 0.08	N/A	ND
Flonicamid	0.03 / 0.10	N/A	ND
Fludioxonil	0.03 / 0.10	N/A	ND
Hexythiazox	0.02 / 0.07	N/A	ND
Imazalil	0.02 / 0.06	N/A	ND
Imidacloprid	0.04 / 0.11	N/A	ND
Kresoxim-methyl	0.02 / 0.07	N/A	ND
Malathion	0.03 / 0.09	N/A	ND
Metalaxyl	0.02 / 0.07	N/A	ND
Methiocarb	0.02 / 0.07	N/A	ND

Continued on next page



### Pesticide Analysis *Continued*

#### PESTICIDE TEST RESULTS - 06/06/2024 *continued ND*

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Methomyl	0.03 / 0.10	N/A	ND
Mevinphos	0.03 / 0.09	N/A	ND
Myclobutanil	0.03 / 0.09	N/A	ND
Naled	0.02 / 0.07	N/A	ND
Oxamyl	0.04 / 0.11	N/A	ND
Paclbutrazol	0.02 / 0.05	N/A	ND
Parathion-methyl	0.03 / 0.10	N/A	ND
Pentachloronitrobenzene*	0.03 / 0.09	N/A	ND
Permethrin	0.04 / 0.12	N/A	ND
Phosmet	0.03 / 0.10	N/A	ND
Piperonyl Butoxide	0.02 / 0.07	N/A	ND
Prallethrin	0.03 / 0.08	N/A	ND
Propiconazole	0.02 / 0.07	N/A	ND
Propoxur	0.03 / 0.09	N/A	ND
Pyrethrins	0.04 / 0.12	N/A	ND
Pyridaben	0.02 / 0.07	N/A	ND
Spinetoram	0.02 / 0.07	N/A	ND
Spinosad	0.02 / 0.07	N/A	ND
Spiromesifen	0.02 / 0.05	N/A	ND
Spirotetramat	0.02 / 0.06	N/A	ND
Spiroxamine	0.03 / 0.08	N/A	ND
Tebuconazole	0.02 / 0.07	N/A	ND
Thiacloprid	0.03 / 0.10	N/A	ND
Thiamethoxam	0.03 / 0.10	N/A	ND
Trifloxystrobin	0.03 / 0.08	N/A	ND



### Residual Solvents Analysis

#### RESIDUAL SOLVENTS TEST RESULTS - 06/06/2024 **DETECTED**

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

**Method:** QSP 1204 - Analysis of Residual Solvents by GC-MS

**Total Butanes** = n-Butane + 2-Methylpropane (Isobutane)  
**Total Heptanes** = 2,2-Dimethylpentane (Neoheptane) + 2,3-Dimethylpentane + 2,4-Dimethylpentane + 3,3-Dimethylpentane + 2,2,3-Trimethylbutane (Triptane) + 2-Methylhexane (Isoheptane) + 3-Methylhexane + 3-Ethylpentane + n-Heptane  
**Total Xylenes** = 1,2-Dimethylbenzene (o-Xylene) + 1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Propane	0.234 / 0.781	N/A	ND
2-Methylpropane (Isobutane)	0.052 / 0.173	N/A	ND
n-Butane	0.019 / 0.063	N/A	ND
<b>Total Butanes</b>			ND
n-Pentane	0.310 / 1.033	N/A	ND
n-Hexane	0.110 / 0.366	N/A	ND
2,2-Dimethylpentane (Neoheptane)	0.493 / 1.642	N/A	ND
2,3-Dimethylpentane	1.009 / 3.365	N/A	ND
2,4-Dimethylpentane	0.737 / 2.458	N/A	ND
3,3-Dimethylpentane	0.198 / 0.660	N/A	ND

Continued on next page




## Residual Solvents Analysis

*Continued*

### RESIDUAL SOLVENTS TEST RESULTS - 06/06/2024 *continued* DETECTED

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
2,2,3-Trimethylbutane (Triptane)	0.521 / 1.738	N/A	ND
2-Methylhexane (Isoheptane)	0.610 / 2.034	N/A	ND
3-Methylhexane	0.235 / 0.785	N/A	ND
3-Ethylpentane	0.304 / 1.012	N/A	ND
n-Heptane	13.12 / 43.72	N/A	ND
Total Heptanes			ND
Benzene	0.089 / 0.295	N/A	ND
Toluene	0.115 / 0.382	N/A	ND
1,3-Dimethylbenzene / 1,4-Dimethylbenzene	0.451 / 1.502	N/A	ND
1,2-Dimethylbenzene (o-Xylene)	0.387 / 1.289	N/A	ND
Total Xylenes			ND
Methanol	53.92 / 163.4	N/A	ND
Ethanol	8.984 / 27.23	N/A	ND
2-Propanol (Isopropyl Alcohol)	8.421 / 25.52	N/A	<LOQ
Acetone	10.59 / 32.08	N/A	ND
Ethyl Acetate	1.123 / 3.745	N/A	ND



## Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

**Method:** QSP 1160 - Analysis of Heavy Metals by ICP-MS

### HEAVY METALS TEST RESULTS - 06/05/2024 ND

COMPOUND	LOD/LOQ (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)
Arsenic	0.02 / 0.1	N/A	ND
Cadmium	0.02 / 0.05	N/A	ND
Lead	0.04 / 0.1	N/A	ND
Mercury	0.002 / 0.01	N/A	ND



## Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

**Method:** QSP 1221 - Analysis of Microbiological Contaminants

### MICROBIOLOGY TEST RESULTS (PCR) - 06/08/2024 ND

COMPOUND	RESULT (cfu/g)
Shiga toxin-producing <i>Escherichia coli</i>	ND
<i>Salmonella</i> spp.	ND
Bile-Tolerant Gram-Negative Bacteria	ND
<i>Staphylococcus aureus</i>	ND



### Microbiology Analysis *Continued*

#### MICROBIOLOGY TEST RESULTS (PLATING) - 06/08/2024 ND

Analysis conducted by 3M™ Petrifilm™ and plate counts of microbiological contaminants.

**Method:** QSP 6794 - Plating with 3M™ Petrifilm™

COMPOUND	RESULT (cfu/g)
Total Aerobic Bacteria	ND
Total Yeast and Mold	ND

